



Data Sheet and Operation Manual

Model PD-1150-T/PD-1250-T Helmet Dryers with Timer

Description

The ProDryer™ Models 1150-T and 1250-T use natural ambient air temperatures to quickly and effectively remove moisture absorbed by your helmet after an on-track session. The ProDryer™ uses a powerful but quiet fan powered by either 120 VAC (PD-1150-T) or 12 VDC (PD-1250-T). Regular use and regular cleaning of your helmet can help prolong the life and comfort of your helmet, not to mention the odors that develop as a result of mold growth. The integral timer automatically ends the drying cycle at 75 minutes.



PD-1150-B



PD-1150-R



PD-1150-S

Features

Table Top Design
Bold Colors

Lighted Power Switch
6' Power Cord

Fuse Protected
75 Minute Timer

Specifications

Power: PD-1150 120 VAC
PD-1250 12 VDC
Air Flow: 100 CFM
Fuse: 1.25 Amps
Power Cord: 6 ft
Color: Black, Red, & Silver
Dimensions: 12.0"W x 12.0"D x 2.9"H
(30.5 x 30.5 x 7.4 cm)
Weight: 6.4 lbs (2.9 kg)

Operation

Place the ProDryer™ in a clutter free area so as not to obstruct the air in and around the ProDryer™. Plug the ProDryer™ into a wall receptacle (PD-1150-T) or into a 12 VDC power outlet (PD-1250-T). Place the helmet on top of the ProDryer™ and push the red power switch in the up (on) position. A red power switch starts the fans and begins the 75 minute drying cycle.

Ordering Information

PD-1150-T-B 120 VAC Black ProDryer™
PD-1150-T-R 120 VAC Red ProDryer™
PD-1150-T-S 120 VAC Silver ProDryer™

PD-1250-T-B 12 VDC Black ProDryer™
PD-1250-T-R 12 VDC Red ProDryer™
PD-1250-T-S 12 VDC Silver ProDryer™

Caution: Do not use around water or other liquids